

Takanslutningsdosa

U 86 K DVD-2



U 86 K DVD-2

Takanslutningsdosa

Produktnummer: 97378101

Dimensioner: 74 x 74 x 106 mm

Takanslutningsdosa, for ceiling slab thickness up to 4.5 cm, with M5 threaded bushing (load capacity 10 kg) to hold ceiling hook, lamp output LED max. 3 W, lamp output Halogen max. 6.5 W. The use of U86 as a luminaire installation enclosure in large components such as element slabs or filigree slabs does not comply with the accredited state-of-the-art. Basically the admissible installation tolerances there do not allow for precise installation, med skyddsklass IP30, Isolationsspänning: 400V AC, halogenfri

**Lim eller spikmontering, Låsmembran,
Tätningdiameter M16 - M25**



Tekniska data

Elektriska egenskaper

Nominell isolationsspänning AC:	400 V
Skyddstyp:	IP30
Lämplig för:	Betongkonstruktion
UL Type Rating:	i.u.

Färger

Färg överdel:	övrigt
---------------	--------

Mått

Bredd:	74 mm
Längd:	74 mm
Höjd:	106 mm

Materialegenskaper

halogenfri:	ja
Brännbarhetsklass enligt UL94:	HB
Glödtrådstest enligt EN 60695-2-11:	650 °C
Industrikvalitet:	nej

Mekaniska egenskaper (AG)

Monteringstyp:	Lim eller spikmontering
----------------	-------------------------

Miljöförhållanden

max. relativ luftfuktighet 25 °C:	- %
max. relativ luftfuktighet 40 °C:	50 %
Omgivningstemperatur min.:	-25 °C
Omgivningstemperatur max.:	40 °C
Omgivningstemperatur 24h:	35 °C

Material

Material nederdel:	Polypropen
Material överdel:	Polypropen

Tillbehör

- [97910001 - VD 75 - Tätningslock](#)
- [97911901 - DH 100-M5 - Takkrokar](#)
- [92510001 - HW VD-67 - Tätningslock](#)
- [19599501 - LFR - Stegborr](#)
- [97022001 - RVB 20 - Röranslutning](#)
- [97022501 - RVB 25 - Röranslutning](#)
- [97023201 - RVB 32 - Röranslutning](#)
- [97024001 - RVB 40 - Röranslutning](#)
- [97810001 - IBT LZA-OE - Punchstång](#)
- [97811801 - IBT LZA-18 - Punchstång](#)
- [97812301 - IBT LZA-23 - Punchstång](#)
- [97891001 - IBT STE-LZA 10 - Punchset](#)
- [97891401 - IBT STE-LZA/14 - Punchset](#)
- [97891801 - IBT STE-LZA/18 - Punchset](#)
- [97892301 - IBT STE-LZA/23 - Punchset](#)
- [97893001 - IBT STE-LZA 30 - Punchset](#)
- [97910301 - U 86 VDF - Tätningslock](#)
- [97910501 - ES-10 - Monteringsskruv](#)
- [97910601 - ES-18 - Monteringsskruv](#)
- [97910701 - ES-25 - Monteringsskruv](#)
- [97915501 - WED - Expansionsdorn](#)
- [97924001 - NAS-AL - Tillbehör IBT](#)
- [97924201 - NA-AL - Tillbehör IBT](#)
- [97924301 - NA-AL/gl - Tillbehör IBT](#)
- [97926001 - ANSW - Tillbehör IBT](#)

Introduktion/förberedelse

$8x \leq \varnothing 26 \text{ mm}$

